Bibliographie

[1] P. Alevizos, J.D. Boissonnat, and M. Yvinec. An optimal o(nlog(n)) algorithm for contour reconstruction from rays. *ACM Symposium on Computational Geometry, Waterloo*, June 1987.

[2] P. Alevizos, J.D. Boissonnat, and M. Yvinec. On the order induced by a set of rays : Application to the probing of non convex polygons. *INRIA Report research*, November 1988.

[3] A.P. Ambler and H.G. Barrow. A versatile computer assembly system. *Artificial Intelligence*, 6:129–156, 1975.

[4] R. D. Arnold and T. O. Binford. Geometric constraints in stereo vision. In *SPIE Vol. 238 - Image Processing for Missile Guidance*, pages 281–292, 1980.

[5] K. S. Arun, T. S. Huang, and S. D. Blostein. Least-squares fitting of two 3-d point sets. *IEEE Trans. on Pattern Analysis and Machine Intelligence*, PAMI-9(5):698–700, September 1987.

[6] T. Asano and N. Yokoya. Image segmentation schema for low level computer vision. In *International Conference on Pattern Recognition*, number 14, pages 267–273, 1981.

[7] P. Aschwanden and W. Guggenbuhl. Experimental results from a comparative study on correlation type registration algorithms. In Forstner and Ruwiedel, editors, *Robust Computer Vision*, pages 268–282. Wichmann, 1992.

[8] N. Ayache. *Vision Stéréoscopique et Perception Multisensorielle.* InterEditions, 1989.

[9] N. Ayache. *Artificial Vision for Mobile Robots – Stereo-Vision and Multisensory Perception.* MIT Press, Boston, 1991.

[10] N. Ayache and O. D. Faugeras. HYPER: A new approach for the recognition and positioning of two-dimensional objects. *IEEE Trans. on Pattern Analysis and Machine Intelligence*, PAMI-8(1):44–54, January 1986.

[11] N. Ayache and B. Faverjon. Efficient registration of stereo images by matching graph descriptions of edge segments. *International Journal of Computer Vision*, 1(2):107–131, 1987.

[12] N. Ayache and F. Lustman. Trinocular stereo vision for robotics. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 13(1):73–85, January 1991.

[13] H. H. Baker and T. O. Binford. Depth from edge and intensity based stereo. In *Proc. 7-th International Joint Conference on Artificial Intelligence*, pages 631–636, Vancouver, Canada, August 1981.

[14] D. H. Ballard. Generalizing the Hough Transform to Detect Arbitrary Shapes. *Pattern Recogniton*, 13(2):111–122, 1981.

[15] D. H. Ballard and C. M. Brown. *Computer Vision.* Prentice Hall Inc., Englewood Cliffs, New Jersey, 1982.

[16] H. A. Beyer. *Geometric and Radiometric Analysis of a CCD-Camera Based Photogrammetric Closed-Range System.* PhD thesis, Institut fur Geodasie und Photogrammetrie, Zurich, 1992.

[17] J.D. Boissonnat, Olivier D. Faugeras, and E. Lebras. Representing stereo data with the delaunay triangulation. In *IEEE Conference on Robotics and Automation*, Philadelphie, April 1988.

[18] J.D. Boissonnat and Olivier Monga. Scene reconstruction from rays : Application to stereo data. In *IEEE Conference on Robotics and Automation*, Philadelphie, April 1988.

[19] Jean-Daniel Boissonnat. Geometric structures for three-dimensional shape representation. *ACM Transactions on Graphics*, 3:266–286, October 1984.

[20] Jean Daniel Boissonnat. Shape reconstruction from planar cross section. *INRIA Report research*, June 1986.

[21] R. C. Bolles and R. Horaud. 3DPO: A three-dimensional part orientation system. *International Journal of Robotics Research*, 5(3):3–26, Fall 1986.

[22] R. C. Bolles, R. Horaud, and M. J. Hannah. 3DPO: A Three-Dimensional Part Orientation System. In Fischler and Firschein, editors, *Readings in Computer Vision: Issues, Problems, Principles, and Paradigms*, pages 355–359. Morgan Kaufmann, Inc., 1987.

[23] R. C. Bolles, J. H. Kremers, and R. A. Cain. A Simple Sensor to Gather Three-Dimensional Data. Technical Report 249, SRI International, July 1981.

[24] R.C. Bolles and R. Horaud. Configuration understanding in range data. In Hanafusa and Inoue, editors, *The Second International Symposium on Robotics Research*, pages 43–50. MIT Press, 1985.

[25] B. Boufama and R. Mohr. Epipole and fundamental matrix estimation using virtual parallax. In *Proceedings Fifth International Conference on Computer Vision*, Cambridge, Mass., June 1995. IEEE Computer Society Press, Los Alamitos, Ca.

[26] P. Bouthémy and E. François. Motion segmentation and qualitative dynamic scene analysis. *International Journal of Computer Vision*, 10(2):157–182, April 1993.

[27] Michael Brady, Jean Ponce, Alan Yuille, and Haruo Asada. Describing surfaces. In Hideo Hanafusa and Hirochika Inoue, editors, *Proceedings of the Second International Symposium on Robotics Research*, pages 5–16, Cambridge, Mass., 1985. MIT Press.

[28] P. Brand, R. Mohr, and Ph. Bobet. Distorsions optiques : correction dans un modèle projectif. Technical Report 1933, INRIA Rhône-Alpes, Grenoble, France, Juin 1993.

[29] C. Brice and C. Fenema. Scene analysis using regions. In *Artificial Intelligence*, number 1, pages 205–226, 1970.

[30] J. Bryant. On the clustering of multidimensional pictorial data. In *Pattern Recognition*, number 11, pages 115–125, 1979.

[31] P. Burt and B. Julesz. A disparity gradient limit for binocular fusion. *Science*, 208:615–617, May 1980.

[32] J. Canny. A Computational Approach to Edge Detection. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PAMI-8(6):679–698, November 1986.

[33] H. Chen. Pose determination from line-to-plane correspondences: existence solutions and closed-form solutions. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 13(6):530–541, June 1991.

[34] C.K. Chow and T. Kaneko. Boundary detection of radiographic images by a thresholding method. In S. Watanebe, editor, *Frontiers of pattern recognition*, pages 61–82. Academic Press, 1972. New York.

[35] Ph. Cinquin. Une nouvelle technique de modélisation d'images tridimensionnelles. In *COGNITIVA*, Paris, 1987.

[36] Jean-Pierre Cocquerez and Olivier Monga. Matching regions in stereovision. In *Proceedings of the Fourth Scandinavian Conference on Image Analysis*, Stockholm, 1987.

[37] Laurent Cohen, Laurent Vinet, Peter T. Sander, and Andre Gagalowicz. Hierarchical region based stereo matching. In *IEEE Conference on Vision and Patern Recognition*, San Diego, June 1989.

[38] L.D. Cohen and I. Cohen. A finite element method applied to new active contour models and 3d reconstruction from cross sections. In *Proceedings of the third International Conference on Computer Vision*, pages 587–591, Osaka, December 1990.

[39] J. L. Crowley and A. C. Parker. A representation for shape based on peaks and ridges in the difference of low-pass transform. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PAMI-6(2):156–170, March 1984.

[40] L. S. Davis and A. Rosenfeld. Cooperating processes for low-level vision: A survey. *Artificial Intelligence*, 17(1-3):245–263, August 1981.

[41] D. F. DeMenthon and L. S. Davis. Model-based object pose in 25 lines of code. In G. Sandini, editor, *Computer Vision – ECCV 92, Proceedings Second European Conference on Computer Vision, Santa Margherita Ligure, May 1992*, pages 335–343. Springer Verlag, May 1992.

[42] R. Deriche. Separable recursive filtering for efficient multi-scale edge detection. In *Proc. International Workshop on Machine Vision and Machine Intelligence*, Tokyo, December 1987. IEEE.

[43] R. Deriche. Using Canny's criteria to derive a recursively implemented optimal edge detector. *International Journal of Computer Vision*, 1(2):167–187, 1987.

[44] R. Deriche. Fast algorithms for low level vision. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 1989.

[45] R. Deriche. Recursively Implementing the Gaussian and Its Derivatives. In *Proc. Second International Conference On Image Processing*, pages 263–267, Singapore, September 7-11 1992. A longer version is INRIA Research Report RR-1893.

[46] R. Deriche and J.-P. Cocquerez. Extraction de composants connexes basée sur une détection optimale des contours. In *CESTA*, Paris, 1987.

[47] Rachid Deriche and Jean-Pierre Cocquerez. Extraction de composantes connexes basée sur une détection optimale des contours. In *Actes, Machines et Reseaux Intelligents, Cognitiva 87, Image Electronique*, volume Tome 2, Paris, Mai 1987.

[48] M. Dhome, M. Richetin, J.T. Lapreste, and G. Rives. Determination of the Attitude of 3D Objects from a Single Perspective View. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 11(12):1265–1278, December 1989.

[49] Manfredo P. do Carmo. *Differential Geometry of Curves and Surfaces.* Prentice-Hall, Englewood Cliffs, 1976.

[50] R. O. Duda and P. E. Hart. *Pattern Classification and Scene Analysis.* John Wiley and Sons, 1973.

[51] V. Prinet et O. Monga. Adaptative filtering and geometrical invariants in face's depth map. In *Europe-China Workshop on Geometrical modelling and Invariants for Computer Vision*, Xian (Chine), April 1995.

[52] Ivan Bricault et Olivier Monga. From volume medical images to quadratic surface patches. *INRIA Report research No 2380*, 1994.

[53] O. D. Faugeras. Quelques pas vers la vision artificielle en trois dimensions. *Technique et Science Informatiques*, 7(6):547–590, 1988.

[54] O. D. Faugeras. What can be seen in three dimensions with an uncalibrated stereo rig. In G. Sandini, editor, *Computer Vision – ECCV 92, Proceedings Second European Conference on Computer Vision, Santa Margherita Ligure, May 1992*, pages 563–578. Springer Verlag, May 1992.

[55] O. D. Faugeras. *Three Dimensional Computer Vision: A Geometric Viewpoint.* MIT Press, Boston, 1993.

[56] O. D. Faugeras, Q. T. Luong, and S. J. Maybank. Camera self-calibration: Theory and experiments. In G. Sandini, editor, *Computer Vision – ECCV 92, Proceedings Second European Conference on Computer Vision, Santa Margherita Ligure, May 1992*, pages 321–334. Springer Verlag, May 1992.

[57] O. D. Faugeras and G. Toscani. The calibration problem for stereo. In *Proc. Computer Vision and Pattern Recognition*, pages 15–20, Miami Beach, Florida, USA, June 1986.

[58] O. D. Faugeras and G. Toscani. Camera Calibration for 3-D Computer Vision. In *Proc. International Workshop on Machine Vision and Machine Intelligence*, Tokyo, Japan, February 1987.

[59] O.D. Faugeras and M. Hebert. The representation, recognition, and locating of 3-d objects. *International Journal of Robotics Research*, 5(3):27–52, Fall 1986.

[60] O.D. Faugeras, M. Hebert, and E. Pauchon. Segmentation of range data into planar and quadric patches. In *Proc. PRIP 83*, pages 8–13, 1983.

[61] Olivier D. Faugeras. A few steps toward artificial 3d vision. *INRIA Report research*, 1988.

[62] M.A. Fischler and R.C. Bolles. Random Sample Consensus: A Paradigm for Model Fitting with Applications to Image Analysis and Automated Cartography. *Communications of the ACM*, 24(6):381–395, June 1981.

[63] P. Fua and Y.G. Leclerc. Representation without correspondences. In *IEEE Conference on Vision and Pattern Recognition*, Seattle, June 1994.

[64] Henry Fuchs, Zvi M. Kedem, and Samuel P. Uselton. Optimal surface reconstruction from planar contours. *Communications of the ACM*, 20(10):693–702, October 1977.

[65] J.P. Gambotto and O. Monga. A parallel and hierarchical algorithm for region growing. In *IEEE Conference on Vision and Pattern Recognition*, San Francisco, June 1985.

[66] S. Ganapathy. Decomposition of transformation matrices for robot vision. In *Proc. IEEE Int. Conf. on Robotics and Automation*, pages 130–139, Atlanta, Georgia, USA, March 1984.

[67] M. R. Garey and D. S Johnson. *Computers and Intractability: A Guide to the Theory of NP-Completness*. W. H. Freeman, San Francisco, 1979.

[68] P. Garnesson and G. Giraudon. An efficient edge chaining algorithm. In *5th Scandinavian Conference on Image Analysis*, June 1987. Stockholm.

[69] D. M. Gay. Computing optimal constrained steps. *SIAM Journal on Scientific and Statistical Computation*, 1981.

[70] P. E. Gill, W. Murray, and M. H. Wright. *Practical Optimization*. Academic Press, London, 1989.

[71] E. Gmur and H. Bunke. 3-D Object Recognition Based on Subgraph Matching in Polynomial Time. In Sanfeliu Mohr, Pavlidis, editor, *Structural Pattern Analysis*, pages 131–147. World Scientific Publ. Co., 1990.

[72] C. Goad. Fast 3D model-based vision. In Alex B. Pentland, editor, *From Pixels to Predicates*, chapter 16, pages 371–391. Ablex Publishing Corporation, Norwood, New Jersey, 1986.

[73] R. C. Gonzales and P. Wintz. *Digital Image Processing*. Addison-Wesley, Reading, Mass., 1977.

[74] W. E. L. Grimson. *From Images to Surfaces*. MIT Press, Cambridge, Massachusetts, 1981.

[75] W.E.L. Grimson and T. Lozano-Perez. Model-based Recognition and Localization from Sparse Range or Tactile Data. *International Journal of Robotics Research*, 3(3):3–35, Fall 1984.

[76] W.E.L. Grimson and T. Lozano-Perez. Localizing overlapping parts by searching the interpretation tree. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PAMI-9(4):469–482, July 1987.

[77] A. Gueziec and N. Ayache. Lissage et reconnaissance de courbes gauches bruitées. In *Congres AFCET*, Lyon, 1991.

[78] M. J. Hannah. Description of SRI's baseline stereo system. Technical Report 342, SRI International, October 1984.

[79] M. J. Hannah. A system for digital stereo image matching. *Photogrammetric Engineering and Remote Sensing*, 55(12):1765–1770, December 1989.

[80] R.M. Haralick and I. Dinstein. A spatial clustering procedure for multi-image data. IEEE Trans. on Circuits and System.

[81] R.M. Haralick and S.G. Shapiro. Survey: image segmentation techniques. In *Computer Vision Graphics and Image Processing*, number 29, pages 100–132, 1985.

[82] R.M. Haralick and L.T. Watson. A facet model for image data. In *Computer Graphics and Image Processing*, number 15, pages 113–129, 1981.

[83] R. Hartley. In defence of the 8-point algorithm. In *Proceedings Fifth International Conference on Computer Vision*, Cambridge, Mass., June 1995. IEEE Computer Society Press, Los Alamitos, Ca.

[84] M. D. Hebden. An algorithm for minimization using exact second derivatives. Technical Report TP 515, Atomic Energy Research Establishment, Harwell, England, 1973.

[85] L. Hérault. *Réseaux de Neurones Récursifs pour l'Optimisation Combinatoire*. PhD thesis, Institut National Polytechnique de Grenoble, February 1991.

[86] R. J. Holt and A. N. Netravali. Camera calibration problem: some new results. *CGVIP-Image Understanding*, 54(3):368–383, November 1991.

[87] R. Horaud. New Methods for Matching 3-D Objects with Single Perspective Views. *IEEE Trans. on Pattern Analysis and Machine Intelligence*, PAMI-9(3):401–412, May 1987.

[88] R. Horaud and R.C. Bolles. 3DPO: a system for matching 3D objects in range data. In Alex B. Pentland, editor, *From Pixels to Predicates*, chapter 15, pages 359–370. Ablex Publishing Corporation, Norwood, New Jersey, 1986.

[89] R. Horaud, S. Christy, F. Dornaika, and B. Lamiroy. Object pose: Links between paraperspective and perspective. In *Proceedings Fifth International Conference on Computer Vision*, pages 426–433, Cambridge, Mass., June 1995. IEEE Computer Society Press, Los Alamitos, Ca.

[90] R. Horaud, B. Conio, O. Leboulleux, and B. Lacolle. An analytic solution for the perspective 4-point problem. *Computer Vision, Graphics, and Image Processing*, 47(1):33–44, July 1989.

[91] R. Horaud and F. Dornaika. Hand-eye calibration. *International Journal of Robotics Research*, 14(3):195–210, June 1995.

[92] R. Horaud, F. Dornaika, B. Lamiroy, and S. Christy. Object pose: The link between weak perspective, para perspective, and full perspective. Technical Report RR-2356, INRIA, September 1994. Available by anonymous ftp on imag.fr, directory pub/MOVI, file RR-2356.ps.gz.

[93] R. Horaud, R. Mohr, and B. Lorecki. Linear-camera calibration. In *Proc. of the IEEE International Conference on Robotics and Automation*, pages 1539–1544, Nice, France, May 1992.

[94] R. Horaud, R. Mohr, and B. Lorecki. On single-scanline camera calibration. *IEEE Transactions on Robotics and Automation*, 9(1):71–75, February 1993.

[95] R. Horaud and Th. Skordas. Model-based strategy planning for recognizing partially occluded parts. *IEEE Computer Magazine*, pages 58–65, August 1987. Special issue on *CAD-Based Robot Vision*.

[96] R. Horaud and Th. Skordas. Stereo Matching through Feature Grouping and Maximal Cliques. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PAMI-11(11):1168–1180, November 1989.

[97] B. K. P. Horn. *Robot Vision*. MIT Press, Cambridge, Massachusetts, 1986.

[98] S.L. Horowitz and T. Pavlidis. Picture segmentation by a directed split-and-merge procedure. In *Proceedings of the Second International Joint Conference on Pattern Recognition*, pages 424–433, 1974.

[99] D. Hubel. The Brain. *Scientific American*, 241(3):39–47, September 1979.

[100] M.T. Hueckel. An operator which locates edges in digitized pictures. *J. Ass. Comput. Mach.*, 18:113–125, 1971.

[101] Y. Hung, P.-S. Yeh, and D. Harwood. Passive ranging to known planar point sets. In *Proc. IEEE Int. Conf. on Robotics and Automation*, pages 80–85, Saint-Louis, Missouri, USA, March 1985.

[102] M. Kass, A. Witkin, and D. Terzopoulos. Snakes : Active contours models. *ICCV*, 1987.

[103] Y. Kerbrat and J. M. Braemer. *Géométrie des courbes et des surfaces*. Hermann, Paris, collection méthodes, 1976.

[104] N. Keskes. *Application des techniques d'analyse d'images aux signaux sismiques*. PhD thesis, Université Paris VI, 1984.

[105] Nomizu Kobayashi. *Fundations of Differential Geometry*. John Wiley.

[106] Jan J. Koenderink. *Solid Shape*. MIT Press, Boston, 1990.

[107] J. Krumm and S. Shafer. Local spatial frequency analysis of image texture. *International Conference in Computer Vision, Osaka,Japan*, 1990.

[108] R. Kumar and A. R. Hanson. Robust estimation of camera location and orientation from noisy data having outliers. In *Proc. Workshop on Interpretation of 3-D Scenes*, pages 52–60, Austin, Texas, USA, November 1989.

[109] J. Lelong-ferrand and J.M. Arnaudies. *Géométrie et Cinématique*. Dunod Université, Paris, 1977.

[110] Z.-C. Lin, T. S. Huang, S. D. Blostein, H. Lee, and E.A. Margerum. Motion estimation from 3-d point sets with and without correspondences. In *Proceedings Computer Vision and Pattern Recognition*, pages 194–201, Miami-Beach, Florida, USA, June 1986.

[111] Y. Liu, T. S. Huang, and O. D. Faugeras. Determination of camera location from 2-d to 3-d line and point correspondences. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 12(1):28–37, January 1990.

[112] P. Long-Limozin. *Vision Stéréoscopique Appliquée à la Robotique*. PhD thesis, Université de Nice, France, October 1986.

[113] D. Lowe. *Perceptual Organization and Visual Recognition*. Kluwer Academic Publisher, 1985.

[114] D. Lowe. Three-dimensional Object Recognition from Single Two-dimensional Images. *Artificial Intelligence*, 31:355–395, 1987.

[115] D. Lowe. Fitting parameterized three-dimensional models to images. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 13(5):441–450, May 1991.

[116] David G. Luenberger. *Optimization by Vector Space Methods*. Wiley, New York, 1969.

[117] Q-T. Luong. *Matrice Fondamentale et Autocalibration en vision par ordinateur*. PhD thesis, Université de Paris Sud, Orsay, December 1992.

[118] F. Lustman. *Vision Stéréoscopique et Perception du Mouvement en Vision Artificielle*. PhD thesis, Université de Paris-Sud Centre d'Orsay, France, December 1987.

[119] A. Lux. *Algorithmique et Contrôle en Vision par Ordinateur*. PhD thesis, Institut National Polytechnique de Grenoble, September 1985.

[120] G. Malandain, G. Bertrand, and N. Ayache. Topological segmentation of discrete surfaces. In *IEEE Conference on Vision and Pattern Recognition*, Hawaii, June 1991.

[121] D. Marr. *Vision*. W. H. Freeman, San Francisco, 1982.

[122] D. Marr and E. Hildreth. Theory of edge detection. *Proc. Royal Soc. Lond.*, B 207:187–217, 1980.

[123] A. Martelli. Edge detection using heuristic search methods. *Computer Graphics and Image Processing*, 1:169–182, 1972.

[124] B. Mazier. *Mise en Correspondance d'Images Multimodales Appliquée à la Visée Pédiculaire Assistée par Ordinateur*. PhD thesis, Université Joseph Fourier, Grenoble, December 1992.

[125] R. Mohan, G. Medioni, and R. Nevatia. Stereo error detection, correction, and evaluation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 11(2):113–120, February 1989.

[126] R. Mohr and L. Morin. Relative positioning from geometric invariants. In *Proceedings Computer Vision and Pattern Recognition Conference*, pages 139–144, Lahaina, Maui, Hawaii, June 1991.

[127] O. Monga. An optimal region growing algorithm for image segmentation. *International Journal on Pattern Recognition and Artificial Intelligence*, 1(3):351–376, December 1987.

[128] O. Monga and R. Deriche. 3d edge detection using recursive filtering. In *Computer Vision and Pattern Recognition*, San Diego, June 1989. IEEE.

[129] O. Monga, R. Deriche, and G. Malandain. Recursive filtering: a primary tool for 3d edge detection. In *First European Conference on Computer Vision*. ECCV 90, 1990.

[130] O. Monga and N. Keskes. A hierarchical algorithm for the segmentation of 3-d images. In *Proc. of eighth International Conference on Pattern Recognition*, Paris, October 1986.

[131] O. Monga and B. Wrobel. Une méthode simple de contrôle d'une croissance de régions avec les contours. In *AFCET*, Antibes, 1987.

[132] Olivier Monga, Nicholas Ayache, and Peter Sander. From voxel to curvature. In *IEEE Conference on Vision and Pattern Recognition*, Hawaii, June 1991.

[133] Olivier Monga and Serge Benayoun. Using partial derivatives of 3d images to extract typical surface features. *INRIA Report research*, 1992.

[134] Olivier Monga, Rachid Deriche, and Gregoire Malandain. Recursive filtering and edge closing: two primary tools for 3d edge detection. *Image and Vision Computing, Vol. 9, Number 4*, August 1991. A shortened version is in proc. of ECCV'90, Lecture notes in Computer Science 427.

[135] Olivier Monga, Rachid Deriche, and Jean-Marie Rocchisani. 3d edge detection using recursive filtering: Application to scanner images. *Computer Vision Graphic and Image Processing, Vol. 53, No 1, pp. 76-87*, January 1991.

[136] Olivier Monga, Richard Lengagne, and Rachid Deriche. Extraction of the zero-crossing of the curvature derivative in volumic 3d medical images : a multi-scale approach. *INRIA Report research 2338, a shortened version is in IEEE conference on Computer Vision and Pattern Recognition, Seattle, June 1994*, 1994.

[137] J. J. Moré and D. C. Sorensen. On the use of directions of negative curvature in a modified Newton method. *Mathematical Programming*, pages 1–20, 1979.

[138] J. Muerle and D. Allen. Experimental evaluation of techniques for automatic segmentation of objects in a complex scenes. In G. Cheng

et al., editor, *Pictorial Pattern Recognition*, pages 3–13. Thompson, 1968. Washington, D.C.

[139] M. Nagao and M. Matsuyama. Structural image analysis, 1983.

[140] J.A. Noble. Finding corners. *Image and Vision Computing*, 6(9):121–128, May 1988.

[141] P. Montesinos O. Monga, N. Armande. Using crest lines to extract thin networks in images : application to roads and blood vessels. *INRIA Report research 1995, des versions réduites sont dans Lecture Notes in Computer Science, Springer Verlag, IPMI'95, et SCIA'95*, 1995.

[142] D. Oberkampf, D. F. DeMenthon, and L. S. Davis. Iterative pose estimation using coplanar feature points. In *Proceedings Computer Vision and Pattern Recognition*, pages 626–627, New York, June 1993. IEEE Computer Society Press, Los Alamitos, Ca.

[143] Y. Ohta and T. Kanade. Stereo by intra- and inter-scanline search using dynamic programming. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PAMI-7(2):139–154, March 1985.

[144] Y. Ohta, T. Kanade, and T. Sakai. Color information for region segmentation. In *Computer Graphics and Image Processing*, pages 222–241, 1980. No. 13.

[145] R. Olhander, K. Price, and D.R. Reddy. Picture segmentation using a recursive region splitting method. In *Computer Graphics and Image Processing*, number 8, pages 313–333, 1978.

[146] Eric Pauchon. *Numérisation et modélisation automatique d'objet 3D.* PhD thesis, Université d'Orsay (Paris Sud), 1983.

[147] T. Pavlidis and S. L. Horowitz. Segmentation of plane curves. *IEEE Trans. on Computers*, C-23(8):860–870, August 1974.

[148] Theodosios Pavlidis. A critical survey of image analysis methods. In *Proceedings of the Eighth International Conference on Pattern Recognition*, pages 502–511, October 1986.

[149] T. Q. Phong, R. Horaud, A. Yassine, and D. T. Pham. Object pose from 2-D to 3-D point and line correspondences. Technical Report RT 95, LIFIA–IMAG, February 1993.

[150] T. Q. Phong, R. Horaud, A. Yassine, and D. T. Pham. Object pose from 2-D to 3-D point and line correspondences. *International Journal of Computer Vision*, 15(3):225–243, July 1995.

[151] S. B. Pollard. *Identifying Correspondences in Binocular Stereo.* PhD thesis, University of Sheffield, November 1985.

[152] S. B. Pollard, J. E. W. Mayhew, and J. P. Frisby. PMF: A stereo correspondence algorithm using a disparity gradient limit. *Perception*, 14:449–470, 1985.

[153] S. B. Pollard, J. Porril, J. E. W. Mayhew, and J. P. Frisby. Disparity gradient, lipschitz continuity, and computing binocular correspondence. In *The Third International Symposium on Robotics Research*, France, 1986.

[154] Jean Ponce. *Représentation des objets tridimensionnels.* PhD thesis, Université d'Orsay (Paris Sud), 1988. Chapitre 4.

[155] T.C. Pong, L.G. Shapiro, L.T. Watson, and R.M. Haralick. Experiments in segmentation using a facet model region grower. In *Computer Vision Graphics and Image Processing*, number 25, 1980.

[156] W.H. Press, B.P. Flannery, S.A. Teukolsky, and W.T. Wetterling. *Numerical Recipes in C: The Art of Scientific Computing.* Cambridge University Press, 1988.

[157] P. Puget and Th. Skordas. An Optimal Solution for Mobile Camera Calibration. In O. Faugeras, editor, *Computer Vision – ECCV 90, Proceedings First European Conference on Computer Vision, Antibes, France*, pages 187–198. Springer Verlag, April 1990.

[158] P. Remagnino, P. Brand, and R. Mohr. Correlation techniques in adaptive template matching with uncalibrated cameras. In *SPIE Proceedings Vision Geometry III*, pages 252–263, Boston Mass, November 1994.

[159] J.M. Rocchisani, O. Monga, J. Bittoun, and R. Deriche. Automatic spatio-temporal edge detection of the beating heart in mri. In *17ème Congrès International de Radiologie*, Paris, July 1989.

[160] A. Rosenfeld and A. C. Kak. *Digital Picture Processing.* Academic Press, Orlando, Fl., 1982.

[161] Peter T. Sander. *On Reliably Inferring Differential Structure from Three-Dimensional Images.* PhD thesis, McGill University, 1988. Available as Technical Report CIM-88-1, McGill Research Center for Intelligent Machines, McGill University, Montréal.

[162] Peter T. Sander and Steven W. Zucker. Tracing surfaces for surfacing traces. In *Proceedings of the First International Conference on Computer Vision*, pages 241–249, London, June 1987.

[163] Peter T. Sander and Steven W. Zucker. Inferring surface trace and differential structure from 3-D images. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 12(9), September 1990.

[164] L. G. Shapiro and R. M. Haralick. Structural descriptions and inexact matching. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PAMI-3(5):504–519, September 1981.

[165] J. Shen and S. Castan. An optimal linear operator for edge detection. In *Conference on Vision and Pattern Recognition*, USA, Juin 1986. IEEE.

[166] Th. Skordas. *Mise en correspondance et reconstruction stéréo utilisant une description structurelle des images.* PhD thesis, Institut National Polytechnique de Grenoble, October 1988.

[167] M. Spivak. *A comprehensive introduction to differential geometry*, volume 1 to 5. Berkley, 1971.

[168] J-P. Thirion and Gourdon A. The 3d marching lines algorithm and its application to crest lines extraction. Technical Report 1672, INRIA, May 1992.

[169] Jean Philippe Thirion. The extremal mesh and the understanding of 3d surfaces. *IEEE workshop on Biomedical Image Analysis*, June 1994.

[170] R. Y. Tsai. A versatile camera calibration technique for high-accuracy 3D machine vision metrology using off-the-shelf TV cameras and lenses. *IEEE Journal of Robotics and Automation*, RA-3(4):323–344, August 1987.

[171] R.Y. Tsai and R.K. Lenz. Real Time Versatile Robotics Hand/Eye Calibration using 3D Machine Vision. In *IEEE International Conference on Robotics and Automation*, pages 554–561, Philadelphia, Penn, USA, April 1988.

[172] S. Umeyama. Least-squares estimation of transformation parameters between two point pattern. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 13(4):376–380, April 1991.

[173] M. W. Walker, L. Shao, and R. A. Volz. Estimating 3-d location parameters using dual number quaternions. *CGVIP-Image Understanding*, 54(3):358–367, November 1991.

[174] S. Watanabe and CYBEST Group. An automated apparatus for cancer prescreening: Cybest. In *Computer Graphics and Image Processing*, number 3, pages 350–358, 1974.

[175] Tapani Westman. A combined region and contour based stereo vision system. In *Proc. 6th Scandinavien Conference on Image Analysis, Oulu*, June 1989.

[176] J.S. Weszka, R.N. Nagel, and A. Rosenfeld. A threshold selection technique. In *IEEE Trans. Comput.*, number C-23, pages 1322–1326, 1974.

[177] M. Williams. Algorithm 232 heapsort. In *Graphic and Image Processing Communication of the ACM*, volume 7, pages 347–348, June 1984.

[178] X.Tu and B. Dubuisson. A safe image segmentation algorithm and its data structure adaptable to parallel implementation. In *Proc. 6th Scandinavien Conference on Image Analysis, Oulu*, June 1989.

[179] A. Yassine. *Etudes Adaptatives et Comparatives de Certains Algorithmes en Optimisation. Implémentation Effectives et Applications.* PhD thesis, Université Joseph Fourier, Grenoble, 1989.

[180] J. S.-C. Yuan. A general photogrammetric method for determining object position and orientation. *IEEE Transactions on Robotics and Automation*, 5(2):129–142, April 1989.

[181] A. Yuille and M. Leyton. 3d symmetry-curvature duality theorems. *Computer Vision, Graphics, and Image Processing*, 52:124–140, 1990.

[182] A. L. Yuille and T. Poggio. A generalized ordering constraint for stereo correspondence. Technical Report AI Memo 777, MIT Artificial Intelligence Laboratory, May 1984.

[183] Z. Zhang, R. Deriche, O. D. Faugeras, and Q-T. Luong. A robust technique for matching two uncalibrated images through the recovery of

the unknown epipolar geometry. *Artificial Intelligence*, 1995. Special volume on computer vision.

[184] Steven W. Zucker. Region growing: Childhood and adolescence. *Computer Graphics and Image Processing*, 5:382–399, 1976.

[185] S.W. Zucker and R.M. Hummel. A three-dimensional edge operator. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PAMI-3(3):324–331, May 1981.

Index